

Week 6 Video 3

Visualization


Scatterplots

Heat Maps

Parameter Space Maps

Scatterplots (Scatter Plots)

- A classic type of visualization




Many say...



- Always look at a scatterplot of your data!


But there's a problem...

- Scatterplots don't scale well to large data sets




With lots of data points

- You get giant blobs



Or if the data is not that granular

- You get single points hiding lots of data points




You can increase data point size

- But it can be hard to display size differences accurately
 - ▣ 500,000 versus 5? A point 100,000 times bigger?
- And if data is somewhat granular, data points may get covered

Heat Maps

- Show the density of data in specific regions



Heat Maps



- Do better with large-scale data
- Important to get the right box size
 - ▣ OK to experiment a little


Not just a substitute for scatterplots



- Can be used for intensity as well as density

Example (Bowers, 2012):

Color shows grade (red = poor, blue = good)




Parameter Space Maps



- Important Special Case of Heat Maps
- Used to look at the goodness of various parameters, particularly for BKT (Week 4)


(Ritter et al., 2009)

- Proportion of skills in Cognitive Tutor where best BKT model ends up with parameter values



Pardos & Heffernan, 2010

- Analyzed the convergence of BKT models for the EM algorithm, with different starting points



Next lecture

- State Space Networks